

QUOTATION / PROFORMA INVOICE

Ref Number:		Quotation No.	- Prepared By: Eng.ADNAN MURAD - Date: 18/02/2023 - Currency: US \$ - Offer Validity: 120 days - Manufacturer: MetalTronica - Origin/Source: Italy - Europe - Delivery Time: 12-16 WEEKS		
QUOTE To:					
Attention:					
Customer Info:					
		Item [1] : Mammography X-Ray Machine			
Item	Code No.	Description	Qty	Unit Price	Total Price
#1		<p style="text-align: center;">Mammography X-Ray Machine MetalTronica - Lilyum</p> <p>* Brand Name :MEtalTronica (Italy & Europe). MetalTronica - Lilyum Analogue Mammography Unit. Compatible with AGFA Mammography CR System.</p> <p><u># System Configurations :</u></p> <p>1 - X-Ray Generator. 2 - X-Ray Tube. 3 - Radiation Shield. 4 - C-ARM Assembly . 5 - Magnification. 6 - Collimation. 7 - Bucky. 8 - Compression Paddles. 9 - Optionals.</p> <p><u># General Specifications :</u></p> <p><u>1 - X-Ray Generator.</u></p> <p>- Single phase 230 Vac. - Frequency : 50/60 Hz. - Inverter. - Power : 7.4 KW. - With microprocessor. - From 20 to 40 kVp with 0.5 kVp step increases. - From 28 (small focus) to 100 mA (Large Focus). - Exposure time : From 0.02 to 4.7 sec in manual mode.</p> <p><u>2 - X-Ray Tube.</u></p> <p>- Anode material : Molybdenum. - Rotation speed : 3000 - 10000 rpm. - Anode heat capacity : 300 KHU (225 KJ). - Focal spot : 0.1 mm small 0.3 mm large.</p> <p><u>3 - Radiation Shield.</u></p> <p>- Stand -alone Anti-X Half-Transparent Screen. - Anti-x screen. - 773x2100x505 mm.</p> <p><u>4 - C-ARM Assembly .</u></p> <p>- Stand designed for securing to the floorwith vertical, telescopic movement. - Vertical movement: 600 mm + 145 mm. - Minimum distance bucky-floor: 650 mm. - Maxi-mum distance in vertical position: 1.250 mm. - Maximum distance in inclination position: 1.400. - Rotation from +90° to -180 with operator controlled manual movement. - Inclination from +180° to -30° with operator controlled manual movement. - Positioning and breast compresion in front of the patient. - Servo-assiste motorised compression. - Automatic exposure tecnique with "0" points. - AEC , 5 position mobile manual selector - Focal lenght: 66 cm.</p>	1	77,000.00	77,000.00

QUOTATION / PROFORMA INVOICE

Ref Number:	Quotation No.	- Prepared By: Eng.ADNAN MURAD - Date: 18/02/2023 - Currency: US \$ - Offer Validity: 120 days - Manufacturer: MetalTronica - Origin/Source: Italy - Europe - Delivery Time: 12-16 WEEKS			
QUOTE To:					
Attention:					
Customer Info:					
	Item [1] : Mammography X-Ray Machine				
Item	Code No.	Description	Qty	Unit Price	Total Price
		5 - Magnification. - 1.5 & 2.0 X MAGNIFICATION PLATFORM. - Complete with small focus automatic selection compressor. - SPOT MAG.COMPRESSION PADDLE 7.5 cm.			
		6 - Collimation. - Light collimator switched on automatically and manually. - 18X24; 24X30, .			
		7 - Bucky. - Double Format Potter Bucky Kit (18x24 cm & 24x30 cm) with Grid. - Grid ratio : 5.1, 36 lines/cm. - Grid Fast movement with continuous computerised control.			
		8 - Compression Paddles. - Compression paddle 18x24 cm. - Compression paddle 24x30 cm. - Multi-function foot pedal. - SECOND FOOT-PEDAL for breast compression and release control. - Medium marker set with magnetic part	1 1 1 1 1	Included Included Included Included Included	Included Included Included Included Included
Total Price In US \$.					\$77,000.00
Discount %			0%		
VAT 16%			16%		Included
On Site Installation & Operator training					
Grand Total in US \$ INCLUDING VAT .					\$77,000.00
Special Conditions:					
Payment Terms:	As per tender conditions				
Warranty:	3 Years Agains any factory deffect				
Spare parts:	Gurantee for not less than 10 years of spare parts availability				
Manuals :	Instruction manual (hard & soft copy) will be submitted upon Delivery				
Reference Sites:	MOH Nablus				

Working Together For Better Health

